Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental





# **Government of India** Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Partner

SHAGUN BLUEKEY REALTY

Panchshil Plaza, B wing 6th floor, 22 23 24, Gamdevi road, near Dharam Palace, Mumbai -400007

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/251540/2022 dated 01 Feb 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type** 

4. Category

5. Project/Activity including Schedule No.

6. Name of Project EC23B038MH151733

SIA/MH/MIS/251540/2022

Expansion

B2

8(a) Building and Construction projects

Expansion in p. 5. Escape" at C.S.No.2243,2244,2245,2246,2247,2248, 1/2249-2250 2251,2252,2253,2254,2255 & 2257 of Bhuleshwar Division, at Sitaram Poddar Road, Mumbai by M/s. Shagun

**Bluekey Realty** 

SHAGUN BLUEKEY REALTY 7. Name of Company/Organization

8. **Location of Project** Maharashtra

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé . I.A.S. Date: 23/02/2023 **Member Secretary** 

SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/251540/2022 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

To M/s. Shagun Bluekey Realty, C.S.No.2243, 2244, 2245, 2246, 2247, 2248, 1/2249-5/2249, 2250, 2251, 2252, 2253, 2254, 2255 & 2257 Bhuleshwar Division, Sitaram Poddar Road, Mumbai.

Subject: Environment Clearance for proposed expansion in "Krishvi Escape" at C.S.No.2243, 2244, 2245, 2246, 2247, 2248, 1/2249-5/2249, 2250, 2251, 2252, 2253, 2254, 2255 & 2257 of Bhuleshwar Division, at Sitaram Poddar Road, Mumbai by M/s. Shagun Bluekey Realty.

Reference : Application no. SIA/MH/MIS/251540/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 188<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 256<sup>th</sup> (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr.	Description	Details			
No.					
1	Proposal Number	SIA/MH/MIS/25154	0/2022		
2	Name of Project	Expansion in proposed project "Krishvi Escape" at C.S. No.2243, 2244, 2245, 2246, 2247, 2248,			
		1/2249-5/2249, 2250	1/2249-5/2249, 2250, 2251, 2252, 2253, 2254, 2255		
		& 2257 of Bhuleshw	ar Division, at Sitaram Poddar		
		Road, Mumbai			
3	Project category	8(a) Building and Construction Projects			
4	Type of Institution	Private			
5	Project Proponent	Name	M/s. Shagun Bluekey Realty		
		Regd. Office	Shagun Group,		
		address	Panchshil Plaza, B-wing, 6th		
			floor, 22-23-24, Gamdevi		
			Road,		
			Near Dharam Palace,		
			Mumbai- 400007		
		Contact number	9820343666		

				e-mail	shrenik	18@hotma	il.com
6	Consultant	t		Enviro Policy Research India Pvt. Ltd.			
				Certificate No – NABET/EIA/2124/IA0076			
			. "	(Validity - 26.04.2024)			
				Name :- Mr.Avick Sil			
		•		Contact Details – 9833825875,			
			-	avick1114@gmail.com, avick@eprindia.com			
7	Applied for	r		Expansion			
8		f the project		C.S. No.22	243, 2244, 2245, 22	46, 2247, 2	2248,
				1/2249-5/2	2249, 2250, 2251, 2	252, 2253,	2254, 2255
				& 2257 of	Bhuleshwar Divisi	on, at Sitar	am Poddar
	i di			Road, Mur	nbai		
9	Latitude an	nd Longitude		18°57'09.3	"N 72°49'30.4"E		
10	Plot Area (	sq.m.)		5880.11			
11	Deduction	A 14.5 * 1 288 78 30 1811 A 1811 A		2162.74			
12	Net Plot ar	ea (sq.m.)		3717.37		7.	<del>4</del>
13	2000 30	verage (m <sup>2</sup> ) & %		1346.91 (3	3.17%)		
14	FSI Area (	sq.m.)		32,843.36			
15	Non-FSI (	sq.m.)		29,856.96		S. A.	
16	#ESE T \$80 %	built-up area (FS)	I + Non	62,700.32			
	FSI) (sq.m	7 - 12 / 12 / 12 / 12 / 12 / 12 / 12 / 12					
17	- 選者	<sup>2</sup> ) approved by I	Planning	(File No.			
	Authority	till date					
		Pa a v		CHE/CTY/0479/C/337(NEW)/337/7/Amend dated			
				30.12.202	*	1 . 1 1 oth	°C 4 1
18	Earlier E		n Total	No. SEIAA 2018	A -EC-0000000452	dated 18"	September
	Constructi	on area, if any.			struction area - 64,4	58 80 Sa n	n 200
					l – Total Constructi		7 8 29
				Sq.m)	i — Totai Constitucti	on arca - 1	9,031.03
19	Constructi	on completed	as per	8,334.72 S	a m		i ya Marija
17	The state of the s	(FSI + Non FSI)		ر ۲۰ <i>۱۵ جو</i> ری <sub>ا</sub>	<b>7.</b> 44		
20		EC / Existing Bu		Pro	posed Configurati	on	Reason
-	Building	Configuration	Height	Building	Configuration	Height	for
	Name		(m)	Name		(m)	Modificat
							ion /
	]						Change
	Not menti	oned in EC	- 100 (100 (100 (100 (100 (100 (100 (100	Building	1 basement +	161.08	-
			1: Wing-	Ground floor +	m		
				A	1st to 3rd floor +		
				[Rehab]	4th to 7th		
				_	Parking floors +		
					8th to 49th		
					residential floors		
				Building	1 basement +	176.87	-

		1: Wing-	Ground floor +	m	
		B [Sale]	1st to 2nd floor	}	
			+ 3rd to 7th		
			parking floors +		
			8th to 50th		
			Residential floor		
	·	Building	Ground + 3rd	17.25	-
		2	floor	m	
		(Rehab):		***	
21	No. of Tenements & Shops	1 RK = 41		<u></u>	<u> </u>
		1  BHK = 2	The state of the s		
		2  BHK = 6	1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886		
		3 BHK = 8			
			al Area - 3763.68 S	a m	
22	Total Population	2502	417 A 64 37 (05.00 B	4.111	iv.
23	Total Water Requirements CMD	301.1 KLE	<u> </u>	<u> </u>	
24	Under Ground Tank (UGT) location	Basement	10 日間 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		<del></del>
25	Source of water	MCGM	<u> </u>		-
26	STP Capacity & Technology	300 KLD, MBBR			
27	STP Location	Basement			
28	Sewage Generation CMD & % of	257.8 m³/day			
i	sewage discharge in sewer line	1	34.8% (Discharged in sewer line)		
		(			
29	Solid Waste Management during	type			Treatmen
29	Solid Waste Management during Construction Phase	type	Quantity		Treatmen
29	Solid Waste Management during Construction Phase	type			t /
29			Quantity		t / disposal
29		type  Dry waste			t / disposal Handover
29			Quantity		t / disposal Handover to
29			Quantity		t / disposal Handover to authorized
29		Dry waste	Quantity		t/ disposal  Handover to authorized recyclers
29			Quantity		t / disposal Handover to authorized recyclers Handover
29		Dry waste	Quantity		disposal Handover to authorized recyclers Handover to
29		Dry waste	Quantity		t/ disposal  Handover to authorized recyclers  Handover to authorized
29		Dry waste  Wet waste	Quantity  15Kg/d.  30Kg/d.		disposal Handover to authorized recyclers Handover to authorized recyclers.
29		Dry waste  Wet waste  Construction	Quantity  15Kg/d.  30Kg/d.		t / disposal Handover to authorized recyclers Handover to authorized recyclers. Handover
29		Dry waste  Wet waste	Quantity  15Kg/d.  30Kg/d.		t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to
29		Dry waste  Wet waste  Construction	Quantity  15Kg/d.  30Kg/d.		t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized recyclers.
29		Dry waste  Wet waste  Construction	Quantity  15Kg/d.  30Kg/d.		t / disposal Handover to authorized recyclers Handover to authorized recyclers. Handover to authorized recyclers.
	Construction Phase	Dry waste  Wet waste  Construction waste	Quantity	( <b>K</b> g/d)	t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized recyclers.
30	Total Solid Waste Quantities with	Dry waste  Wet waste  Construction	Quantity  15Kg/d.  30Kg/d.	( <b>K</b> g/d)	t / disposal Handover to authorized recyclers Handover to authorized recyclers. Handover to authorized recyclers.
	Total Solid Waste Quantities with type during Operation Phase &	Dry waste  Wet waste  Construction waste	Quantity	( <b>K</b> g/d)	t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized dump yard.
	Total Solid Waste Quantities with	Dry waste  Wet waste  Construction waste	Quantity	( <b>K</b> g/d)	t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized dump yard.  Treatmen
	Total Solid Waste Quantities with type during Operation Phase &	Dry waste  Wet waste  Construction waste	Quantity	(Kg/d)	t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized dump yard.  Treatmen t/
	Total Solid Waste Quantities with type during Operation Phase &	Dry waste  Wet waste  Construction waste	Quantity (	(Kg/d)	t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized dump yard.  Treatmen t/ disposal
	Total Solid Waste Quantities with type during Operation Phase &	Dry waste  Wet waste  Construction waste	Quantity (	(Kg/d)	t/ disposal  Handover to authorized recyclers  Handover to authorized recyclers.  Handover to authorized dunp yard.  Treatmen t/ disposal  Handover

		Wet waste	793.02 Kg/day	OWC	
		E-Waste	-	-	
	, .	STP Sludge	12.9 Kg/Day	Shall be	
		(dry)		used as	
				Manure	
31	R.G. Area in sq.m.	RG required – 371.74 Sq.m			
		RG provided on Mother earth- 589.44 Sq.m			
		RG provided on ground - 589.44 Sq.m			
		Total - 589.44 Sq	ı.m		
		Existing trees on j	2 1894 - 0.80 mm - 2.50		
		Number of trees to	- 1484A. 1487.1488.488		
		a) In Miyawaki Plantation (with area); 121 (589.44			
		Sq.m)			
		Number of trees to be cut: 1			
		367.5.30.40.40.755	o be transplanted: 00		
32	Power requirement	During Operation Phase:			
		Details Connected load (kW) 6609 KW			
		Connected load (kW) 6609 KW  Demand load (kW) 2300 KW			
33	Energy Efficiency	a) Overall energy savings (%): 18%			
33	Energy Entitiency	b) Solar energy (%):5.02%			
34	D.G. set capacity	2 x 625 KVA			
35	No. of 4-W & 2-W Parking with	4-wheeler Provid	ed – 340 nos.	in a second	
ĺ	25% EV	2-wheeler Provided – 57 nos.			
36	No. & capacity of Rain water	RWH Tank – 1 x 25 cum, 1 x 50 cum			
4080	harvesting tanks /Pits				
37	Project Cost in (Cr.)	Total Project cost is 271 Cr, out of which cost for			
45		expansion works out to be 71 Cr			
38	EMP Cost	Construction Phase – 36.3 Lakhs			
20	2000	Operation Phase – 288.5 Lakhs  If Not applicable (as per MoEF&CC OM F. NO. 22-			
- 1 - 1 - 1 - 1 - 2개 - 경향		[47] A. S.	CL 12 DAT LEUGH VAN 11 AF HEDRE	W 1. 110. 22-	
	anyas per MoEF&CC circular dated 01/05/2018	65/2017-1A.III dt. 30.09.2020)			
40	Details of Court Cases/litigations	NA		·	
w.r.t the project and project					
	location, if any.				

The comparative statement showing project details as per earlier EC and proposed expansion is given below:

Description	Previous EC SEIAA -EC-0000000452, dated 18 <sup>th</sup> September, 2018	After Proposed Expansion	Remark
Plot Area (m <sup>2</sup> )	5986.30	5880.11	Decreased by 106.19 Sq.m

Total FSI Area	D	7201226	
	Presented – 32,786.50	32,843.36	Presented – Increased by
$(m^2)$	Restricted - 8,300.50		56.86
			Restricted – Increased by
			24,542.86
Non FSI Area	Presented – 31,672.39	29,856.96	Presented – Decreased by
(Sq.m)	Restricted - 10,751.00		1,815.43
			Restricted – Increased by
			19,105.96
Total	Presented – 64,458.89	62,700.32	Presented – Decreased by
Construction	Restricted - 19,051.05		1,758.57
Area (Sq.m)			Restricted – Increased by
			43,649.27
Configuration &	Not mentioned in EC	Building 1: Wing-A	43,049.21
Height		- 1 basement +	
		Ground floor + 1st to	
		3rd floor + 4th to 7th	
See that we			
أفي		Parking floors + 8th	
#."		to 49th residential	
ļ.		floors	
1844 419		Height: 161.08 m	
		Building 1: Wing-B	
		- 1 basement +	
		Ground floor + 1st to	[ - [전] 전 :
		2nd floor + 3rd to	
		7th parking floors +	
l J		8th to 50th	
		Residential floor	
		Height: 176.87 m	
		Building 2: Ground	[기념 경기 호텔 개
		+ 3rd floor	
	H 'N' 설명 보고 함께 되었다.	Height: 17.25 m	
Project Cost	200 Cr		Total Project Cost is 271 Co.
		271 Cr	Total Project Cost is 271 Cr,
		te wet	out of which cost for
			expansion works out to be 71
Population	N-4 1: FO	0.500	Cr
	Not mentioned in EC	2502	
Parking details	Not mentioned in EC	4-wheeler parking –	
		340 nos.	
****	- 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (	2-wheeler parking –	
		57 nos	
RG area	Not mentioned in EC	Total RG Required: -	-
		371.74 Sq.mt	
		Total RG proposed: -	
		589.44 Sq.mt.	
Total water	306 KLD	301.1 KLD	Decreased by 4.9 KLD
requirement		- VI.I INDI	Decreased by 4.7 KLD
Total sewage	274 KLD	257.8 KLD	Decreased by 16.2 VID
generation	2/11320	237.0 KLD	Decreased by 16.2 KLD
STP Capacity	300 KLD	200 VI D	N. Cl
STP Technology		300 KLD	No Change
	MBBR	MBBR	No change
STP Location	Basement	Basement	No change
Total Quantity of	1109.7 Kg/Day	1321.7 Kg/Day	Increased by 212 Kg/Day

Waste			
Treatment	Not mentioned in EC	OWC	No Change
technology			

3. Proposal is an expansion of existing construction project. PP has obtained earlier EC vide SEIAA -EC-0000000452 dated 18th September, 2018 for Total BUA of 64,458.89 m2. Proposal has been considered by SEIAA in its 256th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

### **Specific Conditions:**

# A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- PP to obtain following updated NOCs & remarks:
   a) Water Supply;
   b) Sewer connection;
   c) CFO NOC;
   d) Civil Aviation NOC & e) HRC NOC.
- 3. PP to submit revise RG area calculation with dimensions with triangular method & providing adequate RG on mother earth as per latest NGT orders.
- 4. PP to reduce discharge of treated water up to 35%; PP to submit undertaking from concerned authority/agency/third party regarding use of excess treated water.
- 5. PP to submit revise layout of STP showing 40% open to sky; PP to provide 1.5 Mtr. parapet wall around 40% open to sky area of STP.
- 6. PP to relocate UGTs such that top of the UGT is flush to the ground level.
- 7. PP to explore collection & segregation of waste on ground & processing as proposed on 6<sup>th</sup> podium.

### **B. SEIAA Conditions-**

- 1. This EC is restricted for Wing A up to 120 m height as PP has not obtained HRC NOC for same. Also EC is restricted for wing B up to 154.80 m height as per HRC NOC.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 5. SEIAA after deliberation decided to grant EC for FSI –26117.41 m2, Non FSI-21841.89 m2, Total BUA-47959.30 m2. (Plan approval No. CHE/CTY/0479/C/337 (New)/337/7/Amend, dated-30.12.2021)

#### **General Conditions:**

# a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
  - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
  Protection and Preservation of Trees Act, 1975 as amended during the validity of
  Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the

- stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

# B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
  - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
  - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part

- of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

## C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

### Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai City.
- 6. Commissioner, Municipal Corporation of Greater Mumbai.
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.